



**Supreme Energizer core range
Autumn/ Winter 2023 (27.7.2023)**



Touch Tech Keychain

The Energizer® Keychain Light with Touch Tech Technology combines the latest patented technology for easy, intuitive use. With the switchless innovation of Touch Tech, users get instant illumination just by grasping the light. Just release your grip when done using, and Touch Tech smoothly turns off the light. Touch Tech ensures that your light is never left on accidentally and helps extend battery life. This technology makes this keychain light very convenient and easy to use.

Specifications

	beam
Lumens (brightness)	20 Lumens
Run time	5 Hours
Beam distance	10
Weatherproof (water proof)	N/A
Impact resistance	1 M

Features

- Switchless on/off touch power
- Designed for maximum convenience - grip the light for instant illumination and release it to smoothly turn off
- Compact size make it a convenient light to have at all times
- Light modes : beam

Logistics

SAP	E301371504
MODEL NUMBER	TKC2C
EAN	7638900424225
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	165 x 108 x 14
SU DIMENSIONS (mm) (H,W,D)	181 x 175 x 244
CU WEIGHT (g)	0.055 g
SU DETAILS	tray + clip strip
BATT/CU	2
BATTERIES	x2 Energizer CR2032 (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	2							14	108	165	55	55
SU	24	12						175	244	181	900	660
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	504	252	21	0	0			800	1200	181	18900	13860
Without wood pallet	2520	1260	105	0	0	5		800	1200	905	94500	69300
With wood pallet	2520	1260	105	105	0	5		800	1200	1344	94522	69300



Booklight

The Energizer® Book Light provides a bright light designed for enhanced vision. The warm white LED provides excellent contrast and a more natural reading condition. With warm color temperature, the book light is also a perfect companion for nighttime reading or working. The scientifically designed beam is engineered to provide wide illumination for books and magazines, but is narrow enough not to disrupt others nearby. The handy clip attaches to surfaces up to 0.5 inches (13mm) thick, and the flexible neck allows users to precisely direct the light.

Specifications

	ambient light
Lumens (brightness)	11 Lumens
Run time	25 Hours
Beam distance	4
Impact resistance	1 M

Features

- Slim design, collapses and locks for easy storage
- Versatile clip can attach to items less than 0.5inches (13mm) thick.
- Flexible rubber neck allows for endless positioning of the light
- Convenient slide switch
- Warm white LED provides excellent contrast and natural reading conditions
- 25 hour runtime
- Can illuminate objects up to 4 meters, perfect for reading, household or automotive tasks
- Light modes : ambient light

Logistics

SAP	E300477605
MODEL NUMBER	BKFN2B4
EAN	7638900383911
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	240 x 121 x 30
SU DIMENSIONS (mm) (H,W,D)	260 x 276 x 228
CU WEIGHT (g)	35 g
SU DETAILS	2 Trays + Clip Strip
BATT/CU	1
BATTERIES	x2 Energizer CR2032 (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	1							30	121	240	58	58
SU	12	12						276	228	260	1000	696
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	168	168	14	0	0			800	1200	260	14000	9744
Without wood pallet	504	504	42	0	0	3		800	1200	780	42000	29232
With wood pallet	504	504	42	42	0	3		800	1200	1344	42022	29232



Pocket Light

Lightweight and simple to use, the Energizer® LED Pocket Light fits easily into a pocket, handbag or backpack. Featuring LED technology, the compact Pocket Light delivers a bright uniform light, powerful beam distance and long lasting runtime. It's an optimal solution for a convenient and easily transportable light to locate keyholes or any misplaced objects. The Energizer Pocket Light is your solution to portable, compact bright light.

Features

- Optimal size to easily transport in your pocket or handbag
- Textured switch is easy to find
- Easily attach to a lanyard or keychain ring
- Light modes : beam

Logistics

SAP	E300695704
MODEL NUMBER	PL22
EAN	7638900326314
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	165 x 108 x 236
SU DIMENSIONS (mm) (H,W,D)	175 x 120 x 200
CU WEIGHT (g)	45 g
SU DETAILS	tray
BATT/CU	2
BATTERIES	x2 Energizer Max AAA (Included)

Specifications

	beam
Lumens (brightness)	45 Lumens
Run time	19 Hours
Beam distance	44
Impact resistance	1 M

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	2							236	108	165	57	57
SU	12	6						120	200	175	520	342
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	480	240	40	0	0			800	1200	175	20800	13680
Without wood pallet	2400	1200	200	0	0	5		800	1200	875	104000	68400
With wood pallet	2400	1200	200	200	0	5		800	1200	1344	104022	68400



OPP LED 2AA

The General Purpose LED Flashlight is a great lighting solution for basic needs. With bright, energy-efficient LED technology that is up to 5X brighter than ordinary LED technology, users receive a bright beam and an extra-long runtime. The ribbed design creates a secure non-slip grip, and a convenient push-button switch makes it easy for any user to quickly turn the light on and off. Powering is easy with two AA batteries.

Features

- Ribbed design for secure grip
- Easy to operate push-button switch
- Up to 5X Brighter than ordinary LED technology
- Long Runtime
- Features LED Technology
- Operates on two AA batteries
- Light modes : beam

Logistics

SAP	E300668803
MODEL NUMBER	LC1L2A1
EAN	7638900386677
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	205 x 90 x 45
SU DIMENSIONS (mm) (H,W,D)	168 x 245 x 232
CU WEIGHT (g)	40 g
SU DETAILS	outer box only
BATT/CU	0
BATTERIES	x2 Energizer Alkaline AA (Not Included)

Specifications

	beam
Lumens (brightness)	25 Lumens
Run time	30 Hours
Beam distance	35

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	0							45	90	205	33	33
SU	0	12						245	232	168	680	396
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	0	180	15	0	0			800	1200	168	10200	5940
Without wood pallet	0	900	75	0	0	5		800	1200	840	51000	29700
With wood pallet	0	900	75	75	0	5		800	1200	1344	51022	29700



2AA Handheld Light with Magnet

Bright and economical, the new Energizer® Magnet LED is a great choice for an everyday flashlight. It runs 50 hours on 2 AA size Alkaline batteries and the lifetime LED never needs replacing. An attached wrist lanyard and easy to use button switch provide added convenience. Plus the magnet holds the light to metal surfaces – great for storage or hands free use.

Specifications

beam	
Lumens (brightness)	50 Lumens
Run time	50 Hours
Beam distance	50
Impact resistance	1 M

Features

- White LED provides 12 lumens of light for 45 hours using Energizer® MAX® batteries
- Lifetime LED never needs replacing
- Illuminates objects up to 35 metres away
- Magnet holds light on metal surfaces for convenient hands free operation
- Attached wrist lanyard makes it easy to carry
- Light modes : beam

Logistics

SAP	E301309603
MODEL NUMBER	GPHM21
EAN	7638900422955
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	240 x 108 x 50
SU DIMENSIONS (mm) (H,W,D)	250 x 120 x 332
CU WEIGHT (g)	92 g
SU DETAILS	tray
BATTERIES	x2 Energizer MAX® AA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU								50	108	240	112	112
SU	0	6						120	332	250	902	672
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	0	138	23	0	0			800	1200	250	20746	15456
Without wood pallet	0	414	69	0	0	3		800	1200	750	62238	46368
With wood pallet	0	414	69	69	0	3		800	1200	1344	62260	46368



Vision HD Metal 3AAA

The Energizer® Vision HD Compact light delivers high-performance innovation in a convenient size. Designed to fit in your vehicle, pocket or bag, the Energizer Vision HD Compact is perfect for a wide variety of tasks. Unique MAXVIZ technology delivers a wide, powerful beam that provides users sharp, high-definition vision. A smooth, digital switch provides access to multiple beam settings: high, power saver and emergency strobe modes. Featuring an advanced alloy construction, the Energizer Vision HD is a durable solution that delivers powerful daylight-color illumination at home or on-the-go.

Features

- Versatile, compact, high performance light providing an exceptionally powerful wide beam
- MAX-VIZ technology matches natural eye preferences to produce exceptional, high definition vision
- Smooth digital switching allows users options of high, power-saver and emergency strobe modes
- Durable alloy construction provides confidence for any task
- 3 x AAA Alkaline batteries included
- Light modes : beam high , beam low , Strobe

Specifications

	beam high	beam low	Strobe
Lumens (brightness)	270 Lumens	80 Lumens	
Run time	2.5 Hours	12.5 Hours	
Beam distance	84	45	
Weatherproof (water proof)	IPX4		
Impact resistance	1 M		

Logistics

SAP	E300691004
MODEL NUMBER	PMHH321
EAN	7638900419580
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	190 x 108 x 40
SU DIMENSIONS (mm) (H,W,D)	203 x 120 x 287
CU WEIGHT (g)	84 g
SU DETAILS	tray
BATT/CU	3
BATTERIES	x3 Energizer Max AAA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	3							40	108	190	153	153
SU	18	6						120	287	203	2029	918
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	468	156	26	0	0			800	1200	203	52754	23868
Without wood pallet	1872	624	104	0	0	4		800	1200	812	211016	95472
With wood pallet	1872	624	104	104	0	4		800	1200	1344	211038	95472



Vision Headlight

Energizer® Vision headlight is one of the innovative headlight solutions within the Energizer premium headlight line. With the latest LED technology, users get a bright, lightweight hands-free solution with ample runtime capability. Energizer Vision is a perfect light for home, work and outdoor activities. With an adjustable strap, and pivoting head to direct light exactly as needed, this headlight is another way Energizer continues to deliver innovative lighting solutions.

Features

- 2 white LEDs
- High & low power light modes
- On/off slide switch
- Adjustable elastic headband
- Pivoting head
- Shatter proof lens
- Survives a 1 meter drop
- 3 x AAA Alkaline batteries included
- Light modes - beam high, beam low, High, Low

Specifications

	beam high	beam low	High	Low
Lumen s (brightness)	200 Lumens	45 Lumens	175 Lumens	40 Lumens
Run time	7 Hours	20 Hours	2.5 Hours	10 Hours
Beam distance	50	25		
Impact resistance	1 M			

Logistics

SAP	E300280307
MODEL NUMBER	HDA323
EAN	7638900270228
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	191 x 146 x 39
SU DIMENSIONS (mm) (H,W,D)	203 x 162 x 283
CU WEIGHT (g)	85 g
SU DETAILS	tray + clip strip
BATT/CU	1
BATTERIES	x3 Energizer Max AAA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	1							39	146	191	150	150
SU	6	6						162	283	203	908	900
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	114	114	19	0	0			800	1200	203	17252	17100
Without wood pallet	456	456	76	0	0	4		800	1200	812	69008	68400
With wood pallet	456	456	76	76	0	4		800	1200	1344	69030	



Waterproof handheld

The Energizer® Waterproof Handheld is compact, lightweight and has been specifically designed for use in emergency situations. The robust, impact-resistant body withstands rugged use, and waterproof technology allows the light to operate even when fully submerged in water. Providing bright light output with the ample runtime needed for emergency situations, the light also features reflective panels for easy location when needed. Ideal to keep in your emergency kit at home or in your auto, the Energizer® Waterproof light is reliable in all types of conditions.

Specifications

	beam
Lumens (brightness)	100 Lumens
Run time	20 Hours
Beam distance	75
Weatherproof (water proof)	IPX7
Impact resistance	1 M

Features

- Waterproof
- Floats
- Durable construction
- Reflective panels
- Up to 4X Brighter than Standard LED Technology
- Runs for hours and hours
- Features LED Technology
- Operates on 2 AA Batteries
- Light modes : beam

Logistics

SAP	E300636304
MODEL NUMBER	ESFH211
EAN	7638900418811
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	240 x 108 x 63
SU DIMENSIONS (mm) (H,W,D)	252 x 240 x 380
SU DETAILS	tray
BATT/CU	2
BATTERIES	x2 Energizer Max AA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												46
CU	2							63	108	240	166	166
SU	24	12						240	380	252	2400	1992
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	240	120	10	0	0			800	1200	252	24000	19920
Without wood pallet	720	360	30	0	0	3		800	1200	756	72000	59760
With wood pallet	720	360	30	30	0	3		800	1200	1344	72022	59760



X Focus 2AA

Featuring a compact and lightweight design, the Energizer® X-Focus is a bright light with the latest in LED technology. The light features exceptional beam flexibility through an adjustable focusing lens. A simple twist enables users to adjust the light beam to either a powerful spot light or wide flood light to meet all their lighting needs. The light is constructed with a non-slip grip, lanyard loop and a shatterproof lens to enhance durability. The Energizer X-Focus is a truly powerful light for all indoor and outdoor lighting needs.

Features

- Adjustable focusing light beam
- Equipped with convenient tail switch
- Non-slip grip and built-in lanyard loop
- Compact and lightweight
- Up to 10X Brighter vs. ordinary LED technology
- Long lasting performance
- Excellent beam distance
- Water resistant for outdoor use
- Features LED Technology
- Operates on 2 AA Batteries
- Light modes : beam

Logistics

SAP	E300669305
MODEL NUMBER	XFH211
EAN	7638900015096
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	240 x 121 x 28
SU DIMENSIONS (mm) (H,W,D)	249 x 178 x 182
CU WEIGHT (g)	73 g
SU DETAILS	outer box only
BATT/CU	2
BATTERIES	x2 Energizer Max AA (Included)

Specifications

	beam
Lumens (brightness)	50 Lumens
Run time	45 Hours
Beam distance	45
Weatherproof (water proof)	IPX4
Impact resistance	1 M

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	2							28	121	240	100	100
SU	24	12						178	182	249	1300	1200
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	576	288	24	0	0			800	1200	249	31200	28800
Without wood pallet	1728	864	72	0	0	3		800	1200	747	93600	86400
With wood pallet	1728	864	72	72	0	3		800	1200	1344	93622	86400



ENR 2D Metal

Bright and durable, this EVEREADY® Metal LED Flashlight is a trusted choice for household and work needs. Featuring a sturdy metal construction and today's LED technology, this ergonomic solution also shines up to 4X brighter than standard LED technology. It provides hours and hours of clear, uniform light for a wide variety of household and work tasks.

Features

- Big push button switch
- Textured surface for firm grip
- Highly robust structure for rough, rugged jobs
- 3 Nichia LEDs
- Intense Brightness
- Impact Resistant
- 2 x D Alkaline batteries included
- Light modes : On , On

Specifications

	On	On
Lumens (brightness)	150 Lumens	160 Lumens
Run time	100 Hours	40 Hours
Beam distance	100	90
Impact resistance	1 M	

Logistics

SAP	E303272702
MODEL NUMBER	LCM2D5
EAN	7638900368215
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	317 x 135 x 60
SU DIMENSIONS (mm) (H,W,D)	325 x 272 x 157
SU DETAILS	Trap Single Blister
BATT/CU	2
BATTERIES	EVR, ROV Alkaline
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												288
CU	2							60	135	317	480	480
SU	8	4						272	157	325	2130	1920
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	160	80	20	0	0			800	1200	325	42600	38400
Without wood pallet	320	160	40	0	0	2		800	1200	650	85200	76800
With wood pallet	320	160	40	40	0	2		800	1200	1344	85222	76800



Vision HD Metal Ultra

Energizer® VISION HD Metal Ultra delivers high-performance innovation with our highest brightness yet of 1500 lumens and 4 hours of runtime. Unique MAXVIZ technology enables users to experience sharp, high-definition performance with daylight color and wide, uniform light output. A smooth, digital switch provides access to multiple beam settings to suit your every need, high for maximum brightness, power saver to optimize runtime and strobe for emergency situations. With an advanced alloy construction and a patented power system to preserve performance, the Energizer Vision HD Extra is an invaluable solution for outdoor, work or home applications.

Specifications

	beam high	beam low	Strobe	Spot High	Spot Low	Wide High
Lumens (brightness)	1500 Lumens	250 Lumens				
Run time	4 Hours	15 Hours				
Beam distance	230	100				
Weatherproof (water proof)	IPX4					
Impact resistance	1 M					

Features

- Versatile, lightweight, high performance light providing exceptionally sharp, high-definition performance
- MAX-VIZ technology matches natural eye preferences to produce exceptional, high definition vision
- Digital Focus allows the user to smoothly transition from a sharp focused beam to a broad area beam
- Smooth digital switching allows users options of high, power-saver and emergency strobe modes
- Durable alloy construction provides confidence for any task
- 6 x AA Alkaline batteries included
- Light modes : beam high , beam low , Strobe , Spot High , Spot Low , Wide High

Logistics

SAP	E300690602
MODEL NUMBER	PMZH611
EAN	7638900419597
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	317 x 134 x 79
SU DIMENSIONS (mm) (H,W,D)	330 x 158 x 376
CU WEIGHT (g)	496 g
SU DETAILS	tray
BATT/CU	6
BATTERIES	x6 Energizer Max AA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												138
CU	6							79	134	317	479	479
SU	24	4						158	376	330	2362	1916
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	456	76	19	0	0			800	1200	330	44878	36404
Without wood pallet	912	152	38	0	0	2		800	1200	660	89756	72808
With wood pallet	912	152	38	38	0	2		800	1200	1344	89778	72808



Energizer® Vision HD Rechargeable Metal

The Energizer® Vision HD Rechargeable Metal Light delivers high-performance innovation with exceptional light output. It is easy to use and features USB-in and out ports, which means it is rechargeable and can also charge devices making it a great option for situations when you need to charge your device. This light is built with durable aircraft grade aluminum which makes it a great tool for DIY projects and work tasks. The unique MAXVIZ technology enables users to experience sharp high-definition performance with daylight color and wide uniform light output. Its brightness, durability and features make the Energizer® Vision HD Rechargeable Metal Light a dependable light for various tasks.

Specifications

	High	Low	strobe	Spot High	Spot Low	Wide High	Wide Low
Lumens (brightness)	1200 Lumens	250 Lumens					
Run time	4 Hours	8 Hours					
Beam distance	200	N/A					
Weatherproof (water proof)	IPX4						
Impact resistance	1 M						

Features

Rechargeable Lithium Ion Battery
 Aircraft Grade Aluminum Body
 USB Charging System
 Great value for frequent users
 Digital Focus for precise dimming
 Durable Aircraft Grade Aluminum Rechargeable (USB Port In)
 USB Port Out: Charges Devices
 15-20 Year Design To Last based on typical consumer usage patterns
 Easy to use
 • Light modes : High , Low , strobe , Spot High , Spot Low , Wide High

Logistics

SAP	E301528004
MODEL NUMBER	PMHRL71
EAN	7638900426410
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	317 x 135 x 50
SU DIMENSIONS (mm) (H,W,D)	330 x 148 x 250
CU WEIGHT (g)	465 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	Rech, 22650 Lithium-Ion - 5000 mah (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												99
CU	1							50	135	317	465	465
SU	4	4						148	250	330	2200	1860
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	96	96	24	0	0			800	1200	330	52800	44640
Without wood pallet	192	192	48	0	0	2		800	1200	660	105600	89280
With wood pallet	192	192	48	48	0	2		800	1200	1344	105622	89280



Tactical Light 700

The Energizer® TAC 700 delivers high performance in a durable, dependable, and compact body. The rear push button, strobe mode, and durable aircraft grade aluminum were designed to work on various situations. In addition, the light output and 4 different modes (High, Medium, Low, Emergency Strobe), make it perfect for any outdoors and indoors usage, including work and DIY projects. Stay prepared in emergency situations with this light's strike bezel head. Its removable clip works in both orientations which provides the versatility to clip and use the way works best for you.

Features

- Durable Aircraft Grade Aluminum
- Rear push button to easily change modes while holding the light
- Compact size and lightweight
- Removable Clip that works in both orientations
- Strike Bezel Head
- Light modes : high , medium , low , strobe

Specifications

	high	mediu m	low	strobe
Lumen s (brigh tness)	700 Lumen s	100 Lumen s	20 Lumen s	
Run time	2 Hours	15 Hours	35 Hours	
Beam distan ce	100	NA	NA	
Weath erproo f (water proof)	IPX4			
Impac t resist ance	1 M			

Logistics

SAP	E301528102
MODEL NUMBER	PMHT2L
EAN	7638900426472
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	240 x 108 x 52
SU DIMENSIONS (mm) (H,W,D)	250 x 120 x 230
CU WEIGHT (g)	0.176 g
SU DETAILS	tray
BATT/CU	2
BATTERIES	2x Energizer CR123 (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	2							52	108	240	176	176
SU	8	4						120	230	250	860	704
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	240	120	30	0	0			800	1200	250	25800	21120
Without wood pallet	720	360	90	0	0	3		800	1200	750	77400	63360
With wood pallet	720	360	90	90	0	3		800	1200	1344	77422	63360



Tactical Rechargeable 1200

The Energizer Rechargeable Tactical 1,200 delivers high performance in a durable and reliable construction. With design features including; the rear push button, emergency strobe mode, and durable aircraft aluminum, this tactical light makes a great first choice to bring safety to any dark situation. Its powerful brightness and emergency strobe will help you deal with emergency situations. It can be recharged through a USB port and also charge other devices such as smartphones, ensuring you never run out of power.

Features

- Rechargeable big format metal tactical light.
- Recharges via USB cable (Included).
- Charges other devices (USB port out).
- 1,200 Lumens.
- Strike Bezel Head.
- Rear push button for one handed operation.
- Light modes : High , Low , Strobe

Specifications

	High	Low	Strobe
Lumens (brightness)	1200 Lumens	250 Lumens	
Run time	4 Hours	15 Hours	
Beam distance	200	100	
Weatherproof (water proof)	IPX4		
Impact resistance	1 M		

Logistics

SAP	E302712901
MODEL NUMBER	PMHT28
EAN	7638900433807
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	317 x 135 x 48
SU DIMENSIONS (mm) (H,W,D)	330 x 250 x 148
CU WEIGHT (g)	52 g
SU DETAILS	tray
BATT/CU	2
BATTERIES	x2 Rech, 18650 Lithium-Ion -4900mAh (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												90
CU	2							48	135	317	520	520
SU	8	4						250	148	330	2440	2080
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	192	96	24	0	0			800	1200	330	58560	49920
Without wood pallet	576	288	72	0	0	3		800	1200	990	175680	149760
With wood pallet	576	288	72	72	0	3		800	1200	1344	175702	149760



Wearable light

In addition to the white LED, it also has a Red LED for night vision and a Red flashing LED that be used for visibility and emergency situations.

Specifications

	area	Red	Flashing Red
Lumens (brightness)	30 Lumens		
Run time	315 Hours		
Beam distance	N/A		
Weatherproof (water proof)	IPX4		
Impact resistance	1 M		

Features

- Durable Plastic Construction
- Built-in Clip for various hands-free usages
- Red LED for night vision and Red Flashing for visibility and emergency
- Compact and lightweight design allow for ease of use
- Light modes : area , Red , Flashing Red

Logistics

SAP	E301422003
MODEL NUMBER	FW2C
EAN	7638900426434
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	165 x 108 x 22
SU DIMENSIONS (mm) (H,W,D)	183 x 235 x 178
CU WEIGHT (g)	0.04 g
SU DETAILS	tray + clip strip
BATT/CU	2
BATTERIES	x2 Energizer CR2032 (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	2							22	108	165	40	40
SU	24	12						235	178	183	600	480
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	504	252	21	0	0			800	1200	183	12600	10080
Without wood pallet	2520	1260	105	0	0	5		800	1200	915	63000	50400
With wood pallet	2520	1260	105	105	0	5		800	1200	1344	63022	50400



ENR2AA Metal

Bright and durable, this EVEREADY® Metal LED Flashlight is a trusted choice for household and work needs. Featuring a sturdy metal construction and today's LED technology, this ergonomic solution also shines up to 4X brighter than standard LED technology. It provides hours and hours of clear, uniform light for a wide variety of household and work tasks.

Features

- 1 Nichia White LED
- Lightweight, you can take it anywhere
- Textured surface for firm grip
- Intensely bright illumination
- Impact resistant
- 2 x AA alkaline batteries included
- Light modes : On

Logistics

SAP	E303272601
MODEL NUMBER	LCM2A5
EAN	7638900340419
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	240 x 108 x 25
SU DIMENSIONS (mm) (H,W,D)	248 x 206 x 130
SU DETAILS	tray
BATT/CU	2
BATTERIES	2AA
BATTERIES INCLUDED	YES

Specifications

	On
Lumens (brightness)	90 Lumens
Run time	25 Hours
Beam distance	45
Weatherproof (water proof)	IPX4
Impact resistance	1 M

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												46
CU	2							25	108	240	110	110
SU	12	6						206	130	248	850	660
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	396	198	33	0	0			800	1200	248	28050	21780
Without wood pallet	1188	594	99	0	0	3		800	1200	744	84150	65340
With wood pallet	1188	594	99	99	0	3		800	1200	1344	84172	65340



LED Lantern

Bright and dependable, the Energizer® LED Lantern is a great choice for everyday needs. Featuring long lasting LED technology, this ergonomic solution also shines up to 5X brighter than standard LED technology. With POWER SWITCH technology, users also receive the flexibility to operate with either 2 or 4 batteries. Users can be ready for everyday or emergency situations with just 2 D batteries, or they can extend runtime for days on 4 D batteries. With hours and hours of clear, uniform light, users will be prepared for a wide variety of outdoor and indoor tasks.

Specifications

	beam 2D	beam 4D
Lumens (brightness)	80 Lumens	80 Lumens
Run time	70 Hours	140 Hours
Beam distance	175	175
Weatherproof (water proof)	IPX4	

Features

- Designed to float on water
- Powerful reflector & lens
- Easy to hold handle
- Anti-roll detail
- 1 LED
- Works with 2 x or 4 x D batteries (not included)
- Light modes : beam 2D , beam 4D

Logistics

SAP	E300668704
MODEL NUMBER	GPLN451
EAN	7638900398212
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	176 x 125 x 130
SU DIMENSIONS (mm) (H,W,D)	138 x 220 x 380
CU WEIGHT (g)	250 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	2/4D
BATTERIES INCLUDED	NO

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	1							130	125	176	250	250
SU	4	4						220	380	138	1200	1000
DU	0	0	0									0
XU	0	0	0	0								0
Pallet Layer	40	40	10	0	0			800	1200	138	12000	10000
Without wood pallet	240	240	60	0	0	6		800	1200	828	72000	60000
With wood pallet	240	240	60	60	0	6		800	1200	1344	72022	60000



Vision HD Metal 2AA

The Energizer® Vision HD is a versatile, high-performance light that provides exceptionally sharp, high-definition illumination. Using unique MAXVIZ technology, Energizer® Vision HD lights offer outstanding beam color and optimized contrast, giving users an expanded field of high-definition vision. Smooth digital switching allows users to easily select between three beam options: high, power-saver and emergency strobe modes. The Energizer® Vision HD line provides enhanced light output and exceptional user control, making it ideal for the home, vehicle or workplace.

Specifications

	beam high	beam low	Strobe	Spot High	Spot Low	Wide High	Wide Low
Lumens (brightness)	400	50					
Run time	4 Hours	21 Hours					
Beam distance	115	35					
Weatherproof (water proof)	IPX4						
Impact resistance	1 M						

Features

- Versatile, lightweight, high performance light providing exceptionally sharp, high-definition performance
- MAX-VIZ technology matches natural eye preferences to produce exceptional, high definition vision
 - Digital Focus allows the user to smoothly transition from a sharp focused beam to a broad area beam
 - Smooth digital switching allows users options of high, power-saver and emergency strobe modes
 - Durable alloy construction provides confidence for any task
 - 2 x AA Alkaline batteries included
 - Light modes : beam high , beam low , Strobe , Spot High , Spot Low , Wide High

Logistics

SAP	E300600005
MODEL NUMBER	PMZH21
EAN	7638900313130
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	240 x 121 x 47.9
SU DIMENSIONS (mm) (H,W,D)	254 x 133 x 174
CU WEIGHT (g)	190 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	x2 Energizer Max AA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	1							47.9	121	240	0.19	190
SU	4	4						133	174	254	0.93	760
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	152	152	38	0	0			1200	800	254	35.34	28880
Without wood pallet	456	456	114	0	0	3		1200	800	762	106.02	86640
With wood pallet	456	456	114	114	0	3		1200	800	944	128.02	86640



USB Lantern

The Energizer® Vision Lantern is a bright and powerful lighting option for various tasks. Its high lumen output in combination with a long runtime and power bank capabilities provides a reliable 360 lighting for adventures, outdoor activities, emergency situations, and it can also be used to charge devices via a USB port out. The design provides a steady base for hands-free operation and the comfortable non-slip grip handle makes it easy to carry. With the Energizer® Vision Lantern, you can customize the light output as needed by using its dimming feature, or for a low diffused light use the night light mode. This lantern works on 4 D batteries.

Specifications

	area high	area low
Lumens (brightness)	1300 Lumens	175 Lumens
Run time	12 Hours	150 Hours
Beam distance	N/A	N/A
Weatherproof (water proof)	IPX4	
Impact resistance	1 M	

Features

- Durable construction
- Dimming Feature for customized light output and optimal runtime
- Powerful and Bright 360 area lighting
- Steady base for hands-free and comfortable non-slip grip makes it easy to carry.
- Light modes : area high , area low

Logistics

SAP	E301440804
MODEL NUMBER	ALU451
EAN	7638900426458
CU/SU	2
CU DIMENSIONS (mm) (H,W,D)	305 x 203 x 113
SU DIMENSIONS (mm) (H,W,D)	315 x 232 x 188
SU DETAILS	outer box only
BATT/CU	0
BATTERIES	x4 Energizer Alkaline D (Not Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	0							113	203	305	620	0.62
SU	0	2						232	188	315	1.51	1.24
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	0	42	21	0	0			1200	800	315	31.71	26.04
Without wood pallet	0	84	42	0	0	2		1200	800	630	63.42	52.08
With wood pallet	0	84	42	42	0	2		1200	800	944	85.42	52.08



Vision HD Headlight

The Energizer® Vision HD headlight is another innovative headlight solution from the Energizer premium headlight line. With the latest LED technology, users get an extremely bright, lightweight hands-free solution with ample run time capability. Patented optics offer exceptional direct and peripheral vision, making the Energizer Vision HD a perfect light for home, work and outdoor activities. Thanks to Energizer® Smart Dimming technology, users can control the intensity of light from 100% to 10%., and enjoy Next Push Off technology to avoid unnecessary switch cycles. With an adjustable head strap, water-resistant design and pivoting head to direct light exactly as needed, this headlight is another way Energizer continues to deliver innovative lighting solutions.

Features

- 3 white LEDs
- Spot & Area light modes
- Dimming
- Next push off
- Adjustable elastic headband
- Pivoting head
- Shatter proof lens
- Weatherproof
- Survives a 1 meter drop
- 3 x AAA Alkaline batteries included
- Light modes : beam high , beam low , spot , flood

Specifications

	beam high	beam low	spot	flood
Lumens (brightness)	300 Lumens	45 Lumens	145 Lumens	70 Lumens
Run time	4 Hours	30 Hours	13 Hours	30 Hours
Beam distance	55	25	na	na
Weatherproof (waterproof)	IPX4			
Impact resistance	1 M			

Logistics

SAP	E300280506
MODEL NUMBER	HDB323
EAN	7638900316377
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 39
SU DIMENSIONS (mm) (H,W,D)	203 x 161 x 282
CU WEIGHT (g)	87 g
SU DETAILS	tray + clip strip
BATT/CU	1
BATTERIES	x3 Energizer Max AAA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	1							39	146	190	115	115
SU	6	6						161	282	203	900	690
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	114	114	19	0	0			800	1200	203	17100	13110
Without wood pallet	456	456	76	0	0	4		800	1200	812	68400	52440
With wood pallet	456	456	76	76	0	4		800	1200	1344	68422	52440



Vision HD+ Focus Headlight

The Energizer® Vision HD+ Focus headlight is another innovative headlight solution within the Energizer premium headlight line. With the latest LED technology, users get an extraordinarily bright, lightweight hands-free solution with ample run time. Custom optics offer exceptional direct and peripheral vision, making the Energizer Vision HD+ Focus a perfect light for home, work and outdoor activities. Featuring patented digital focus, users can easily broaden or narrow their field of vision with a simple button press. Memory Recall allows users to quickly access to their favorite focus setting next time the light is activated. With an adjustable head strap, water-resistant design and pivoting head to direct light exactly as needed, Energizer continues to deliver innovative lighting solutions.

Specifications

	beam high	beam low	full spot	full flood	Red
Lumens (brightness)	400 Lumens	45 Lumens			
Run time	3 Hours	35 Hours			
Beam distance	85	30			
Weatherproof (water proof)	IPX4				
Impact resistance	1 M				

Features

- 3 white LEDs
- 2 red LEDs
- Spot & Area light modes
- Digital Focus
- Dimming
- Next push off
- Adjustable elastic headband
- Pivoting head
- Shatter proof lens
- Weatherproof
- Survives a 1 meter drop
- 3 x AAA Alkaline batteries included
- Light modes : beam high , beam low , full spot , full flood , Red

Logistics

SAP	E300280705
MODEL NUMBER	HDD323
EAN	7638900412802
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 39
SU DIMENSIONS (mm) (H,W,D)	203 x 161 x 282
CU WEIGHT (g)	88 g
SU DETAILS	tray + clip strip
BATT/CU	3
BATTERIES	x3 Energizer Max AAA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	3							39	146	190	117	117
SU	18	6						161	282	203	900	702
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	342	114	19	0	0			800	1200	203	17100	13338
Without wood pallet	1368	456	76	0	0	4		800	1200	812	68400	53352
With wood pallet	1368	456	76	76	0	4		800	1200	1344	68422	53352



Vision Ultra Headlight

The Energizer® Vision Ultra HD Headlight brings outstanding performance in a compact design. The headlight shows innovative features as the Energizer® Smart Dimming technology that allow to easily control light intensity. In addition to the white LED, this light has green and red LEDs which enhance night vision for outdoors activities such as hunting and fishing. The VisionGuard technology gradually increases the light intensity to prevent a high beam straight in the users' eyes. The low battery indicator, located in the front of the light, will flash when battery is low, warning consumers that it is almost time to change the batteries.

Specifications

	Beam High	Beam Low	Wide	Wide Low	Red	Flashing Red	Green
Lumens (brightness)	450 Lumens	20 Lumens					
Run time	2.75 Hours	50 Hours					
Beam distance	85	20					
Weatherproof (water proof)	IPX4						
Impact resistance	1 M						

Features

Energizer® Smart Dimming technology to control light intensity
 VisionGuard protects vision by gradually increasing light intensity
 Low battery indicator
 Red and Green LEDs for night vision
 Weather-resistant and shatterproof
 • Light modes : Beam High , Beam Low , Wide , Wide Low , Red , Flashing Red

Logistics

SAP	E301371803
MODEL NUMBER	HDE321
EAN	7638900424478
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 39
SU DIMENSIONS (mm) (H,W,D)	203 x 162 x 283
CU WEIGHT (g)	120 g
SU DETAILS	tray + clip strip
BATT/CU	3
BATTERIES	x3 Energizer Max AAA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	3							39	146	190	120	120
SU	18	6						162	283	203	900	720
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	342	114	19	0	0			800	1200	203	17100	13680
Without wood pallet	1368	456	76	0	0	4		800	1200	812	68400	54720
With wood pallet	1368	456	76	76	0	4		800	1200	1344	68422	54720



Vision HD+ Headlight

The Energizer® Vision HD+ headlight is another innovative headlight solution within the Energizer® premium headlight line. With the latest LED technology, users get a bright, lightweight hands-free solution with ample run time capability. Patented optics offer exceptional direct and peripheral vision, making the Energizer® Vision HD+ a perfect light for home, work and outdoor activities. With the advanced dimming feature on all modes, users can control the intensity of light from 100% to 10%. Consumers also enjoy the Next Push Off technology to avoid unnecessary switch cycles. With an adjustable head strap, water resistant design and pivoting head to direct light exactly as needed, this headlight is another way Energizer continues to deliver innovative lighting solutions.

Specifications

	High	Low	Spot High	Spot Low	Wide High	Wide Low	Red
Lumens (brightness)	375 Lumens	45 Lumens					
Run time	4 Hours	35 Hours					
Beam distance	80	30					
Weatherproof (water proof)	IPX4						
Impact resistance	1 M						

Features

- 3 white LEDs
- 2 red LEDs
- Spot & Area light modes
- Dimming
- Next push off
- Adjustable elastic headband
- Pivoting head
- Shatter proof lens
- Weatherproof
- Survives a 1 meter drop
- 3 x AAA Alkaline batteries included
- Light modes : High , Low , Spot High , Spot Low , Wide High , Wide Low

Logistics

SAP	E300280605
MODEL NUMBER	HDC323
EAN	7638900316384
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 39
SU DIMENSIONS (mm) (H,W,D)	203 x 161 x 282
CU WEIGHT (g)	88 g
SU DETAILS	tray + clip strip
BATT/CU	3
BATTERIES	x3 Energizer Max AAA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	3							39	146	190	116	116
SU	18	6						161	282	203	900	696
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	342	114	19	0	0			800	1200	203	17100	13224
Without wood pallet	1368	456	76	0	0	4		800	1200	812	68400	52896
With wood pallet	1368	456	76	76	0	4		800	1200	1344	68422	52896



Rechargeable Headlight

The Energizer® Vision Ultra HD Rechargeable Headlamp brings outstanding performance in a compact design. The headlamp shows innovative features with its rechargeability (USB port) and the Energizer® Smart Dimming technology which allows for easy control of light intensity. In addition to the white LEDs, this light has green and red LEDs which preserve night vision for outdoors activities such as hunting and fishing. The VisionGuard technology gradually increases the light intensity to prevent a high beam straight in the users' eyes.

Specifications

	High	Wide	Wide low (dim)	Low	Red	Flashing Red	Green
Lumens (brightness)	400 Lumens	200 Lumens	20 Lumens	20 Lumens			
Run time	4 Hours	5 Hours	15 Hours	15 Hours			
Beam distance	80	30	25	25			
Weatherproof (water proof)	IPX4						
Impact resistance	1 M						

Features

Ideal for frequent users and environmentally conscious users
 Rechargeable (USB cable included)
 Energizer® Smart Dimming technology to control light intensity
 VisionGuard protects vision by gradually increasing light intensity
 Red and Green LEDs for night vision
 • Light modes : High , Wide , Wide low (dim) , Low , Red , Flashing Red

Logistics

SAP	E301528202
MODEL NUMBER	HDFRLP
EAN	7638900426441
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 53
SU DIMENSIONS (mm) (H,W,D)	203 x 160 x 230
CU WEIGHT (g)	80 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	Rech, 103040 Lithium-Ion - 1200mAh (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	1							53	146	190	140	140
SU	4	4						160	230	203	850	560
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	100	100	25	0	0			800	1200	203	21250	14000
Without wood pallet	400	400	100	0	0	4		800	1200	812	85000	56000
With wood pallet	400	400	100	100	0	4		800	1200	1344	85022	56000



Rechargeable Industrial HL

The Energizer® Vision Ultra HD Rechargeable Headlamp brings outstanding performance in a compact design. The headlamp shows innovative features with its rechargeability (USB port) and the Energizer® Smart Dimming technology which allows for easy control of light intensity. In addition to the white LEDs, this light has green and red LEDs which preserve night vision for outdoors activities such as hunting and fishing. The VisionGuard technology gradually increases the light intensity to prevent a high beam straight in the users' eyes.

Specifications

	High	Wide	Wide low (dim)	Low	Red	Flashing Red	Green
Lumens (brightness)	400 Lumens	200 Lumens		20 Lumens			
Run time	4 Hours	5 Hours		15 Hours			
Beam distance	80	30		25			
Weatherproof (water proof)	IPX4						
Impact resistance	1 M						

Features

- Ideal for frequent users and environmentally conscious users
- Rechargeable (USB cable included)
- Energizer® Smart Dimming technology to control light intensity
- VisionGuard protects vision by gradually increasing light intensity
- Red and Green LEDs for night vision
- Light modes : High , Wide , Wide low (dim) , Low , Red , Flashing Red

Logistics

SAP	E303197201
MODEL NUMBER	HDFRLPI
EAN	7638900434347
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	130 x 60 x 48
SU DIMENSIONS (mm) (H,W,D)	113 x 128 x 105
CU WEIGHT (g)	120 g
SU DETAILS	Unit box
BATT/CU	1
BATTERIES	Rech, 103040 Lithium-Ion - 1200mAh (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												35
CU	1							48	60	130	120	120
SU	4	4						128	105	113	520	480
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	264	264	66	0	0			800	1200	113	34320	31680
Without wood pallet	2112	2112	528	0	0	8		800	1200	904	274560	253440
With wood pallet	2112	2112	528	528	0	8		800	1200	1344	274582	253440



Impact Light 2AAA

The Energizer® Compact Rubber Flashlight features bright LED technology and a durable ergonomic design. This light offers a non-slip, textured rubber handle for ergonomics and enhanced durability. Designed with a convenient, built-in stand, the light provides hands-free use whenever needed. An integrated lanyard loop makes it easy to attach, while the durable push-button switch is designed to last. The Energizer Compact Rubber Flashlight is the ultimate do-it-yourself light that provides excellent performance and reliability for all types of projects.

Specifications

	beam
Lumens (brightness)	100 Lumens
Run time	14 Hours
Beam distance	70
Weatherproof (water proof)	IPX4
Impact resistance	1 M

Features

- Durable rubber construction
- Non-slip grip
- Convenient, built-in stand
- Can be attached to lanyard or carabiner
- Up to 10X Brighter vs. ordinary LED technology
- Long lasting runtime
- Excellent beam distance
- Features LED Technology
- Operates on 2 AAA Batteries
- Light modes : beam

Logistics

SAP	E300668404
MODEL NUMBER	RBR223
EAN	7638900326307
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	240 x 121 x 55
SU DIMENSIONS (mm) (H,W,D)	252 x 266 x 325
SU DETAILS	tray
BATT/CU	2
BATTERIES	x2 Energizer Max AAA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												23
CU	2							55	121	240	180	180
SU	24	12						266	325	252	2.5	2160
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	216	108	9	0	0			1200	800	252	22.5	19440
Without wood pallet	648	324	27	0	0	3		1200	800	756	67.5	58320
With wood pallet	648	324	27	27	0	3		1200	800	944	89.5	58320



Rubber Handheld 2AA

The Energizer® Rubber Flashlight features bright LED technology and a durable ergonomic design. This light offers a non-slip, textured rubber handle for ergonomics and enhanced durability. Designed with a convenient, built-in stand, the light provides hands-free use whenever needed. An integrated lanyard loop makes it easy to attach, while the durable push-button switch is designed to last. The Energizer Rubber Flashlight is the ultimate do-it-yourself light that provides excellent performance and reliability for all types of projects.

Specifications

	Beam
Lumens (brightness)	125 Lumens
Run time	12 Hours
Beam distance	100
Weatherproof (water proof)	IPX4
Impact resistance	1 M

Features

- Durable rubber construction
- Non-slip grip
- Convenient, built-in stand
- Can be attached to lanyard or carabineer
- Up to 10X Brighter vs. ordinary LED technology
- Long lasting runtime
- Excellent beam distance
- Features LED Technology
- Operates on 2 AA Batteries
- Light modes : Beam

Logistics

SAP	E303293402
MODEL NUMBER	RBR213
EAN	7638900326291
CU/SU	3
CU DIMENSIONS (mm) (H,W,D)	260 x 135 x 79
SU DIMENSIONS (mm) (H,W,D)	268 x 255 x 146
SU DETAILS	tray
BATT/CU	2
BATTERIES	x2 Energizer Max AA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												46
CU	2							79	135	260	330	330
SU	6	3						255	146	268	1180	990
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	144	72	24	0	0			800	1200	268	28320	23760
Without wood pallet	432	216	72	0	0	3		800	1200	804	84960	71280
With wood pallet	432	216	72	72	0	3		800	1200	1344	84982	71280



Metal Pen Light

The Energizer® Metal Pen Light delivers exceptional brightness and runtime performance, all in a durable metal construction. Designed to provide users with bright directional illumination, the light is great for use in close spaces. The Energizer Metal Pen Light is light, compact and can fit easily in a pocket. The robust, metal clip provides a secure fit and makes the Energizer Metal Pen Light a great solution at home or at work.

Features

- Durable construction featuring a robust, metal clip
- Drop resistant
- Easy-to-operate tail switch
- Up to 4X Brighter than Standard LED Technology
- Long Run Time
- Features LED Technology
- Operates on 2 AAA Batteries
- Light modes : beam

Logistics

SAP	E301002404
MODEL NUMBER	PLM22
EAN	7638900420821
CU/SU	8
CU DIMENSIONS (mm) (H,W,D)	190 x 108 x 18
SU DIMENSIONS (mm) (H,W,D)	202 x 120 x 230
CU WEIGHT (g)	50 g
SU DETAILS	tray + clip strip
BATT/CU	2
BATTERIES	x2 Energizer Max AAA (Included)

Specifications

beam	beam
Lumens (brightness)	35 Lumens
Run time	20 Hours
Beam distance	9
Impact resistance	1 M

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	2							18	108	190	49	49
SU	16	8						120	230	202	545	392
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	480	240	30	0	0			800	1200	202	16350	11760
Without wood pallet	1920	960	120	0	0	4		800	1200	808	65400	47040
With wood pallet	1920	960	120	120	0	4		800	1200	1344	65422	47040



Hard Case Pivot 2AA

Energizer® **HARDCASE®** **PROFESSIONAL®** **PIVOT**. With tool-quality construction and advanced LED technology, this light is designed for the most challenging jobs. Constructed with Professionals in mind, it withstands drop after drop, off a ladder or even a two story building. Designed with a 175 degree pivoting function plus a versatile magnetic base, this light provides the flexibility needed for any project. The large push button switch can be easily operated while wearing gloves, while adjustable light modes let the user decide the balance of brightness and runtime. In addition, this light is water resistant for those rainy, outdoor tasks.

Features

- Bright, uniform beam is ideal for projects
- Adjustable beam output for extended runtime
- Magnetic base to secure light on metal surfaces
- Pivoting head rotates up to 175 degrees
- Exceptionally durable
- Survives drop after drop from a two-story building
- Weather-resistant
- Built -in lanyard slot
- Large switch for easy operation
- Features Advanced LED Technology
- Operates on 2 AA batteries
- Light modes : beam high , beam low

Specifications

	beam high	beam low
Lumens (brightness)	300 Lumens	30 Lumens
Run time	5 Hours	30 Hours
Beam distance	30	10
Weatherproof (water proof)	IPX4	
Impact resistance	7 M	

Logistics

SAP	E301340803
MODEL NUMBER	HCSW21
EAN	7638900423792
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	240 x 121 x 65
SU DIMENSIONS (mm) (H,W,D)	252 x 137 x 254
CU WEIGHT (g)	186 g
SU DETAILS	tray
BATT/CU	2
BATTERIES	x2 Energizer Max AA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	2							65	121	240	222	222
SU	8	4						137	254	252	1100	888
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	208	104	26	0	0			800	1200	252	28600	23088
Without wood pallet	624	312	78	0	0	3		800	1200	756	85800	69264
With wood pallet	624	312	78	78	0	3		800	1200	1344	85822	69264



Hardcase Headlight with Attachment

The Energizer® HARDCASE® PROFESSIONAL® Rugged Headlight is designed with a tool quality construction and advanced LED technology to meet the most demanding jobs. Constructed with the Professional in mind, it withstands drop after drop, off a ladder or a two story building. Built to give users freedom to use both hands, this pivoting headlight provides outstanding versatility with options ranging from Spot, Flood or Full Power modes. It is an impressively bright, durable illumination tool for any job, and delivers extended runtime in low mode.

Features

- Hands-free design
- Exceptionally durable and weather resistant
- Survives drop after drop from a two-story building
- Greater stability with integrated top strap
- Non-slip headstrap fits most industrial helmets
- Pivots to shine where needed
- Powerful LED Technology
- Additional modes for greater user choice
- Independent switches allow precise operation of flood and spot modes
- Operates on 3 AA batteries
- Light modes : beam high , beam low

Specifications

	beam high	beam low
Lumens (brightness)	600 Lumens	110 Lumens
Run time	4 Hours	23 Hours
Beam distance	140	55
Weatherproof (water proof)	IPX5	
Impact resistance	7 M	

Logistics

SAP	E300642305
MODEL NUMBER	HCHD312
EAN	7638900375718
CU/SU	6
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 104.7
SU DIMENSIONS (mm) (H,W,D)	202 x 320 x 349
CU WEIGHT (g)	230 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	x3 Energizer Max AA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	1							104.7	146	190	0.28	230
SU	6	6						320	349	202	2.1	1380
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	36	36	6	0	0			1200	800	202	12.6	8280
Without wood pallet	144	144	24	0	0	4		1200	800	808	50.4	33120
With wood pallet	144	144	24	24	0	4		1200	800	944	72.4	37200



Hard Case Multi-use

For a bright versatile light that is highly compact and tough, look no further than the Energizer® HARDCASE® PROFESSIONAL® Multi-Use Light. Featuring a swiveling magnet metal clip and a lanyard loop, the light can be easily attached to metal surfaces, clipped to your shirt, or worn around your neck for the ultimate hands-free lighting. With an exceptionally durable plastic and rubber over mold, the light is designed for maximum shock absorption. Its compact size enables you to easily transport it and use it in tight spaces. The Multi-Use Light - compact, powerful and the toughest light you will ever need.

Specifications

	beam
Lumens (brightness)	75 Lumens
Run time	6 Hours
Beam distance	30
Weatherproof (water proof)	IPX4
Impact resistance	7 M

Features

- Latest LED technology delivering 10X brighter light vs. standard LEDs.
- Long lasting runtime
- Weather resistant
- Momentary light push-on button for quick flash of light
- Highly compact and powerful light
- Versatile hands-free design
- Strong magnet to attach to metal surfaces
- Pivoting metal clip
- Built-in lanyard loop
- Exceptionally durable construction
- Features LED Technology
- Operates on 1 AA battery
- Light modes : beam

Logistics

SAP	E301340903
MODEL NUMBER	HCMU11
EAN	7638900423808
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	165 x 108 x 44
SU DIMENSIONS (mm) (H,W,D)	175 x 115 x 190
CU WEIGHT (g)	73 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	x1 Energizer Max AA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	1							44	108	165	90	90
SU	4	4						115	190	175	1400	360
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	168	168	42	0	0			800	1200	175	58800	15120
Without wood pallet	840	840	210	0	0	5		800	1200	875	294000	75600
With wood pallet	840	840	210	210	0	5		800	1200	1344	294022	75600



Hard Case Pro Work Light

The Energizer HARDCASE® PROFESSIONAL® Work light delivers the rugged lighting performance demanded by Professional and Do-It-Yourself enthusiasts. Specialized materials, including rugged over-molding and an advanced, toughened polymer, enable the Work Light to withstand drop after drop. High-power LED technology and advanced optics create bright, uniform light that is ideal for a wide array of projects. The Work Light delivers hands-free functionality in three ways: a retractable top hook, powerful side magnets, and a wide base for standing.

Features

- Rugged polymer and durable over-mold maximize shock absorption
- Hands free functionality thanks to: Retractable rotating hook, Magnets, Wide base
- Dual mode push button switch (high/low)
- Bright LED lumen output
- Long lasting runtime
- Wide angle area light
- Features LED Technology
- Operates on 4 AA batteries
- Light modes : area high , area low

Specifications

	area high	area low
Lumens (brightness)	550 Lumens	150 Lumens
Run time	8 Hours	40 Hours
Beam distance	na	na
Weatherproof (water proof)	IPX4	
Impact resistance	7 M	

Logistics

SAP	E300668204
MODEL NUMBER	HCAL412
EAN	7638900398250
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	368 x 152 x 69
SU DIMENSIONS (mm) (H,W,D)	380 x 165 x 330
CU WEIGHT (g)	270 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	x4 Energizer Max AA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	1							69	152	368	457	457
SU	4	4						165	330	380	2200	1828
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	56	56	14	0	0			800	1200	380	30800	25592
Without wood pallet	112	112	28	0	0	2		800	1200	760	61600	51184
With wood pallet	112	112	28	28	0	2		800	1200	1344	61622	51184



Hard Case Project Plus 4AA

For the most demanding tasks, look no further than the Energizer® HARDCASE® PROFESSIONAL® PROJECTPLUS. With tool-quality construction and advanced LED technology, this light is designed to meet even the most challenging jobs. Constructed with Professionals in mind, it withstands drop after drop, off a ladder or even a two story building. Featuring bright, uniform light with an extended beam distance, this light is built to provide a great combination of brightness and long runtime. The large push button switch and ergonomic handle allow for easy operation even with gloves, while adjustable light modes let the user decide the exact balance of brightness and runtime. In addition, this light is water resistant for user confidence even during extreme, outdoor tasks.

Specifications

	beam high	flood low	lowest dimming
Lumens (brightness)	400 Lumens	300 Lumens	40 Lumens
Run time	11 Hours	14 Hours	50 Hours
Beam distance	125	na	na
Weatherproof (water proof)	IPX4		
Impact resistance	7 M		

Features

- More compact for ease of use for all professional tasks
- Built with rugged ABS plastic
- Custom-designed optics
- Improved brightness & impact resistance for better durability
- 2 light modes for more convenience: Flood or Spot+Flood and adjustable beam output/ dimming for customised output and extended runtime
- Weatherproof
- Highly durable & robust - Survives a 7 meter drop
- 4 x AA alkaline batteries included
- Light modes : beam high , flood low , lowest dimming

Logistics

SAP	E300640503
MODEL NUMBER	HCHH41
EAN	7638900287448
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	279 x 146 x 76
SU DIMENSIONS (mm) (H,W,D)	292 x 158 x 304
CU WEIGHT (g)	214 g
SU DETAILS	tray
BATT/CU	2
BATTERIES	x4 Energizer Max AA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	2							76	146	279	358	358
SU	8	4						158	304	292	1700	1432
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	136	68	17	0	0			800	1200	292	28900	24344
Without wood pallet	408	204	51	0	0	3		800	1200	876	86700	73032
With wood pallet	408	204	51	51	0	3		800	1200	1344	86722	73032



Atex Headlight

Long: Approved by global safety agencies, the Energizer® Intrinsically Safe Atex LED Headlamp is capable of performing in the harshest conditions. Designed with industrial trades in mind, this high-performance light is certified with an IP67 waterproof rating and survives drop after drop from up to 1 meters. It is built to withstand tough conditions on the jobsite and provides a dependable hands-free lighting solution. The light pivots smoothly to direct the beam just where it is needed. The adjustable head band secures tightly to safety equipment . LED technology delivers consistent illumination of up to 150 lumens for a long duration of 5 hours to keep you active for longer.

Features

- Intrinsically safe (ATEX)
- -20°C to 40°C ambient operating range.
- Division I, Class I, II, and III.
- IECEx IA intrinsic safety
- EN60529 ingress protection level IP67
- Light modes : High , Low

Logistics

SAP	E301380803
MODEL NUMBER	ISHD32
EAN	7638900424508
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	135 x 75 x 57
SU DIMENSIONS (mm) (H,W,D)	120 x 172 x 138
CU WEIGHT (g)	145 g
SU DETAILS	Unit box
BATT/CU	0
BATTERIES	x3 Energizer Max Alkaline (Not Included)

Specifications

	High	Low
Lumens (brightness)	130 Lumens	20 Lumens
Run time	6 Hours	42 Hours
Beam distance	45	20
Weatherproof (water proof)	IP67	
Impact resistance	1 M	

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	0							57	75	135	145	145
SU	0	4						172	138	120	669	580
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	0	144	36	0	0			792	1104	120	24084	20880
Without wood pallet	0	1008	252	0	0	7		792	1104	840	168588	146160
With wood pallet	0	1008	252	252	0	7		792	1104	1248	168610	146160



OPP LED 2D

The General Purpose LED Flashlight is a great lighting solution for basic needs. With bright, energy-efficient LED technology that is up to 5X brighter than ordinary LED technology, users receive a bright beam and an extra-long runtime. The ribbed design creates a secure non-slip grip, and a convenient push-button switch makes it easy for any user to quickly turn the light on and off. Powering is easy with two D batteries.

Specifications

	beam
Lumens (brightness)	25 Lumens
Run time	120 Hours
Beam distance	35

Features

- Ribbed design for secure grip
- Easy to operate push-button switch
- Up to 5X Brighter than ordinary LED technology
- Long Runtime
- Features LED Technology
- Operates on two D batteries
- Light modes : beam

Logistics

SAP	E300667703
MODEL NUMBER	LC1L2D1
EAN	7638900386660
CU/SU	9
CU DIMENSIONS (mm) (H,W,D)	240 x 100 x 60
SU DIMENSIONS (mm) (H,W,D)	200 x 200 x 285
CU WEIGHT (g)	97 g
SU DETAILS	outer box only
BATT/CU	0
BATTERIES	x2 Energizer Alkaline D (Not Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	0							60	100	240	66	66
SU	0	9						200	285	200	900	594
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	0	117	13	0	0			800	1200	200	11700	7722
Without wood pallet	0	468	52	0	0	4		800	1200	800	46800	30888
With wood pallet	0	468	52	52	0	4		800	1200	1344	46822	30888



Metal 3AAA

The Energizer® Metal flashlight delivers a balance of bright light and impressive runtime, bundled into a compact size. The light features a durable metal construction for added reliability. The textured grip allows the light to fit securely in your hand, while the lanyard attachment makes it easy to transport.

Features

- 3 White LED
- Extremely lightweight, you can take it anywhere
- Impact resistant
- Lanyard attached - easy to carry with you
- Works with 3 x AAA Energizer Max
- Light modes : beam

Logistics

SAP	E301304006
MODEL NUMBER	MLHV32
EAN	7638900388428
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	165 x 108 x 29
SU DIMENSIONS (mm) (H,W,D)	178 x 229 x 254
CU WEIGHT (g)	59 g
SU DETAILS	tray
BATT/CU	0
BATTERIES	x3 Energizer MAX® AAA (Not Included)

Specifications

	beam
Lumens (brightness)	50 Lumens
Run time	15 Hours
Beam distance	30
Impact resistance	1 M

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0
CU	0							29	108	165	47	47
SU	0	12						229	254	178	1150	564
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	0	180	15	0	0			800	1200	178	17250	8460
Without wood pallet	0	900	75	0	0	5		800	1200	890	86250	42300
With wood pallet	0	900	75	75	0	5		800	1200	1344	86272	42300



COB HL - Multi Purpose

The Energizer Multi-use Headlamp is a versatile multi-purpose light, that can be detached from the head-band and clipped onto pockets, hats, belts, backpacks and more. Thanks to this feature, the COB headlamp can double as a clip or book light with the lighting source rotating at a 360 degree angle offering the perfect aid when reading and working, delivering outstanding versatility. Rechargeable via USB, it's designed to make your life brighter and easier by fitting seamlessly into your every-day.

Features

- Multi-use flexible and detachable headlamp.
- Rechargeable via USB
- It doubles as a clip/book light.
- The light rotates 360 degrees.
- Light modes : High , Low , Red , Red flashing

Specifications

	High	Low	Red	Red flashing
Lumen s (brightness)	180 Lumen s	70 Lumen s		
Run time	2.5 Hours	3 Hours		
Beam distance	17	12		
Weath erproof (water proof)	IPX4			
Impact resistance	1 M			

Logistics

SAP	E302713201
MODEL NUMBER	HDGRLP
EAN	7638900433852
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	191 x 146 x 50
SU DIMENSIONS (mm) (H,W,D)	201 x 236 x 169
CU WEIGHT (g)	90 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	Rech, 602535 Lithium-Ion - 500mAh (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	1							50	146	191	90	90
SU	4	4						236	169	201	610	360
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	84	84	21	0	0			800	1200	201	12810	7560
Without wood pallet	336	336	84	0	0	4		800	1200	804	51240	30240
With wood pallet	336	336	84	84	0	4		800	1200	1344	51262	30240



Value Metal Rechargeable Light

Value Metal Rechargeable Light

Specifications

	High	Low
Lumens (brightness)	320 Lumens	130 Lumens
Run time	3 Hours	4 Hours
Beam distance	130	
Weatherproof (water proof)	IPX4	
Impact resistance	1 M	

Features

- Up to 5x brighter than standard LED technology
- 3 modes: high, low, strobe
- Rechargeable
- Durable metal construction
- Compact and lightweight design

- Light modes : High , Low

Logistics

SAP	E303252701
MODEL NUMBER	VMHAL8
EAN	7638900433838
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	228 x 108 x 34
SU DIMENSIONS (mm) (H,W,D)	228 x 175 x 128
CU WEIGHT (g)	0.16 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	Rech, 18650 Lithium-Ion - 1500mA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	1							34	108	228	160	160
SU	4	4						175	128	228	760	640
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	152	152	38	0	0			800	1200	228	28880	24320
Without wood pallet	608	608	152	0	0	4		800	1200	912	115520	97280
With wood pallet	608	608	152	152	0	4		800	1200	1344	115542	97280



Tactical Ultra 1000

New

The Energizer® Tactical Ultra is the most powerful light within the tactical range, producing 1000 lumens and reaching up to 200 metres. A durable, dependable body incorporates a shatterproof lens and gives the light great impact resistance and an IPX7 waterproof rating. The rear push button assists in changing between its 3 modes (High, Low, Emergency Strobe) when using the light with one hand. Its outstanding 1000 lumens light output makes it the ideal tool to bring the comfort of light in any dark situation, either outdoor or indoor, while the strike bezel head provides an extra safety feature

Features

- Rear push button to easily change modes while holding the light
- Rugged construction made of Durable aircraft grade aluminum
- Shatterproof lens
- Versatility: various modes
- Light modes : High , Low , Strobe

Specifications

	High	Low	Strobe
Lumens (brightness)	1000 Lumens	250 Lumens	
Run time	4 Hours	15 Hours	
Beam distance	200		
Weatherproof (water proof)	IPX7		
Impact resistance	1 M		

Logistics

SAP	E301699201
MODEL NUMBER	PMHT61
EAN	7638900430288
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	317 x 135 x 48
SU DIMENSIONS (mm) (H,W,D)	330 x 250 x 148
CU WEIGHT (g)	540 g
SU DETAILS	tray
BATT/CU	6
BATTERIES	x6 Energizer Max AA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												1.38
CU	6							48	135	317	540	540
SU	24	4						250	148	330	2520	2160
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	576	96	24	0	0			800	1200	330	60480	51840
Without wood pallet	1728	288	72	0	0	3		800	1200	990	181440	155520
With wood pallet	1728	288	72	72	0	3		800	1200	1344	181462	155520



Bike Light

New

Specifications

Impact resistance 1 M

Logistics

SAP E303659501
 MODEL NUMBER BLPB42
 EAN 7638900439182
 CU/SU 4
 CU DIMENSIONS (mm) (H,W,D) 24 x 18.4 x 6
 SU DIMENSIONS (mm) (H,W,D) 270 x 394 x 364
 BATT/CU 4
 BATTERIES x4 Energizer Alkaline AAA (Included)
 BATTERIES INCLUDED YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	4							6	18.4	24	170	170
SU	16	4						394	364	270	1020	680
DU	0		0					0	0	0	0	0
XU	0		0	0				0	0	0	0	0
Pallet Layer	384	96	24	0	0			1200	800	270	24480	16320
Without wood pallet	1152	288	72	0	0	3		1200	800	810	73440	48960
With wood pallet	1152	288	72	72	0	3		1200	800	944	73462	48960



Metal Rechargeable Light

New

ENR Metal Rechargeable Light

Specifications

	High	Low
Lumens (brightness)	320 Lumens	130 Lumens
Run time	3 Hours	4 Hours
Beam distance	130	
Weatherproof (water proof)	IPX4	
Impact resistance	1 M	

Features

- Up to 5x brighter than standard LED technology
- 3 modes: high, low, strobe
- Rechargeable
- Durable metal construction
- Compact and lightweight design

- Light modes : High , Low

Logistics

SAP	E303654200
MODEL NUMBER	VMHAL8
EAN	7638900436914
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	220 x 108 x 34
SU DIMENSIONS (mm) (H,W,D)	228 x 175 x 128
CU WEIGHT (g)	0.16 g
SU DETAILS	tray
BATT/CU	1
BATTERIES	Rech, 18650 Lithium-Ion - 1500mA (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	1							34	108	220	160	160
SU	4	4						175	128	228	0.76	640
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	152	152	38	0	0			1200	800	228	28.88	24320
Without wood pallet	608	608	152	0	0	4		1200	800	912	115.52	97280
With wood pallet	608	608	152	152	0	4		1200	800	944	137.52	97280



ENR EU METAL 3AAA 50 HH 12D MLHH32

New

ENR EU METAL 3AAA HH

Features

ENR EU METAL 3AAA HH
 • Light modes : Beam

Specifications

	Beam
Lumens (brightness)	80 Lumens
Run time	11 Hours
Beam distance	80

Logistics

SAP	E303289400
MODEL NUMBER	MLHH32
EAN	7638900436174
CU/SU	12
CU DIMENSIONS (mm) (H,W,D)	93 x 31 x 31
SU DIMENSIONS (mm) (H,W,D)	110 x 189 x 143
CU WEIGHT (g)	0.15 g
SU DETAILS	tray
BATT/CU	3
BATTERIES	3AAA
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	3							31	31	93	100	100
SU	36	12						189	143	110	1290	1200
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	1152	384	32	0	0			800	1200	110	41280	38400
Without wood pallet	9216	3072	256	0	0	8		800	1200	880	330240	307200
With wood pallet	9216	3072	256	256	0	8		800	1200	1344	330262	307200



Collapsible Hybrid Lantern

New

Specifications

	Area On	Spot On
Lumens (brightness)	300 Lumens	40 Lumens
Run time	2 Hours	15 Hours
	N/A	85

Features

- Light modes : Area On , Spot On

Logistics

SAP	E303834400
MODEL NUMBER	ALCHL8
EAN	7638900444261
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	186 x 371 x 98
SU DETAILS	No Tray
BATT/CU	1
BATTERIES	1 x 18650 Li-Ion
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	1							98	371	186	385	375
SU	4	4									1.663	1500
DU	0		0									0
XU	0		0	0								0
Pallet Layer	96	96	24	0	0			1200	800	0	39.91	36000
Without wood pallet	384	384	96	0	0	4		1200	800	0	159.65	144000
With wood pallet	384	384	96	96	0	4		1200	800	944	181.65	144000



Hybrid Tactical Powered Handheld Light

New

Specifications

	High	Low	Emergency Strobe
Lumens (brightness)	1200 Lumens	250 Lumens	
Run time	4 Hours	15 Hours	
Beam distance	200		

Features

- Light modes : High , Low , Emergency Strobe

Logistics

SAP	E303633301
MODEL NUMBER	YMHT61
EAN	7638900439175
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	32.5 x 21 x 4.8
SU DIMENSIONS (mm) (H,W,D)	334 x 228 x 220
BATT/CU	7
BATTERIES	6AA, Rech Lithium-Ion
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	7							4.8	21	32.5	610	610
SU	28	4						228	220	334	2850	2440
DU	0		0					0	0	0	0	0
XU	0		0	0				0	0	0	0	0
Pallet Layer	420	60	15	0	0			1200	800	334	42750	36600
Without wood pallet	840	120	30	0	0	2		1200	800	668	85500	73200
With wood pallet	840	120	30	30	0	2		1200	800	944	85522	73200



Emergency Metal Light - Beacon Light

New

Specifications

	High	Low
Lumens (brightness)	300 Lumens	40 Lumens
Run time	1.15 Hours	25 Hours
Beam distance	170	60
Weatherproof (water proof)	IPX4	
Impact resistance	1 M	

Features

- Light modes : High , Low

Logistics

SAP	E303633401
MODEL NUMBER	ESMH32
EAN	7638900439199
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	26 x 13.5 x 3.6
SU DIMENSIONS (mm) (H,W,D)	269 x 181 x 145
BATT/CU	3
BATTERIES	3AAA
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	3							3.6	13.5	26	200	200
SU	12	4						181	145	269	1050	800
DU	0		0					0	0	0	0	0
XU	0		0	0				0	0	0	0	0
Pallet Layer	384	128	32	0	0			1200	800	269	33600	25600
Without wood pallet	1152	384	96	0	0	3		1200	800	807	100800	76800
With wood pallet	1152	384	96	96	0	3		1200	800	944	100822	76800



Hybrid Powered Lantern

New

Specifications

	High	Low	High Rech	Low Rech
Lumens (brightness)	1000 Lumens	100 Lumens	1250 Lumens	100 Lumens
Run time	5 Hours	30 Hours	6 Hours	70 Hours
	N/A			
Weatherproof (water proof)	IPX4			
Impact resistance	1 M			

Features

- Light modes : High , Low , High Rech , Low Rech

Logistics

SAP	E303638501
MODEL NUMBER	ALUH28
EAN	7638900439168
CU/SU	2
CU DIMENSIONS (mm) (H,W,D)	30.5 x 20 x 7.3
SU DIMENSIONS (mm) (H,W,D)	315 x 188 x 232
BATT/CU	1
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	1							7.3	20	30.5	700	700
SU	2	2						188	232	315	1630	1400
DU	0		0					0	0	0	0	0
XU	0		0	0				0	0	0	0	0
Pallet Layer	42	42	21	0	0			1200	800	315	34230	29400
Without wood pallet	126	126	63	0	0	3		1200	800	945	102690	88200
With wood pallet	126	126	63	63	0	3		1200	800	944	102712	88200



Hybrid High Performance Powered Headlamp New

Specifications **Features**

	High	Medium	Low	Turbo	• Light modes : High , Medium , Low , Turbo
Lumens (brightness)	400 Lumens	185 Lumens	30 Lumens	1000 Lumens	
Run time	4.5 Hours	8 Hours	55 Hours		
Beam distance	50	45	18	100	

Logistics

SAP	E303633201
MODEL NUMBER	HDHRL8
EAN	7638900439151
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	19.1 x 14.6 x 6.5
SU DIMENSIONS (mm) (H,W,D)	200 x 280 x 152
BATT/CU	3
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	3							6.5	14.6	19.1	190	190
SU	12	4						280	152	200	1000	760
DU	0		0					0	0	0	0	0
XU	0		0	0				0	0	0	0	0
Pallet Layer	240	80	20	0	0			1200	800	200	20000	15200
Without wood pallet	960	320	80	0	0	4		1200	800	800	80000	60800
With wood pallet	960	320	80	80	0	4		1200	800	944	80022	60800



Panel Light

New

Energizer's Panel Light ® is designed to provide tradesmen with great reliability thanks to its durable construction and its IPX4 waterproof rating. Two separate folding lighting panels grant additional versatility enabling the user to illuminate two areas at once and adapt the lighting to any space. Powered by a lithium-rechargeable battery, the Panel light provides long-lasting illumination with up to 1000 lumens.

Features

- Hardcase - Durable Construction with drop resistance
- IPX4 protection
- Rechargeable with battery level indicator
- Folding - versatile positioning to fit any task
- 1 side/ 2 sides flexible illumination
- Double Lens - 2x Adjustable 180° LED lights
- Light modes : High , Low

Specifications

	High	Low
Lumens (brightness)	1100 Lumens	550 Lumens
Run time	6 Hours	
Beam distance	40	
Weatherproof (water proof)	IPX4	
Impact resistance	2 M	

Logistics

SAP	E301699401
MODEL NUMBER	AWLL8
EAN	7638900430301
CU/SU	2
CU DIMENSIONS (mm) (H,W,D)	200 x 205 x 55
SU DIMENSIONS (mm) (H,W,D)	209 x 214 x 120
CU WEIGHT (g)	530 g
BATT/CU	1
BATTERIES	x2 Rech, 18650 Lithium-Ion -4900mAh (Included)
BATTERIES INCLUDED	YES

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												0.45
CU	1							55	205	200	570	570
SU	2	2						214	120	209	1210	1140
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	70	70	35	0	0			800	1200	209	42350	39900
Without wood pallet	280	280	140	0	0	4		800	1200	836	169400	159600
With wood pallet	280	280	140	140	0	4		800	1200	1344	169422	159600



Tier 1 Headlamp HDL10

New

Specifications

	High	Low
Lumens (brightness)	250 Lumens	25 Lumens
Run time	7 Hours	40 Hours
Beam distance	60	
Weatherproof (water proof)	IPX4	
Impact resistance	1 M	

Features

- Light modes : High , Low

Logistics

SAP	E303834800
MODEL NUMBER	T11A32
EAN	7638900444278
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 405
SU DIMENSIONS (mm) (H,W,D)	201 x 197 x 160
BATT/CU	3
BATTERIES	3 AAA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	3							405	146	190	126	126
SU	12	4						197	160	201	635	504
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	336	112	28	0	0			1200	800	201	17780	14112
Without wood pallet	1344	448	112	0	0	4		1200	800	804	71120	56448
With wood pallet	1344	448	112	112	0	4		1200	800	944	71142	56448



Tier 1 Headlamp HDL20

New

Specifications

	High	Low
Lumens (brightness)	325 Lumens	25 Lumens
Run time	5 Hours	40 Hours
Beam distance	70	
Weatherproof (water proof)	IPX4	
Impact resistance	1 M	

Features

- Light modes : High , Low

Logistics

SAP	E303835700
MODEL NUMBER	T12A32
EAN	7638900444285
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 405
SU DIMENSIONS (mm) (H,W,D)	201 x 197 x 160
CU WEIGHT (g)	126 g
BATT/CU	3
BATTERIES	3 AAA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	3							405	146	190	126	126
SU	12	4						197	160	201	635	504
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	336	112	28	0	0			1200	800	201	17780	14112
Without wood pallet	1344	448	112	0	0	4		1200	800	804	71120	56448
With wood pallet	1344	448	112	112	0	4		1200	800	944	71142	56448



Tier 1 Headlamp HDL30 New

Specifications

	High	Low
Lumens (brightness)	400 Lumens	25 Lumens
Run time	4 Hours	40 Hours
Beam distance	80	
Weatherproof (water proof)	IPX4	
Impact resistance	1 M	

Features

- Light modes : High , Low

Logistics

SAP	E303835900
MODEL NUMBER	T13A32
EAN	7638900444292
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	190 x 146 x 405
SU DIMENSIONS (mm) (H,W,D)	201 x 197 x 160
CU WEIGHT (g)	126 g
BATT/CU	3
BATTERIES	3 AAA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU	3							405	146	190	126	126
SU	12	4						197	160	201	635	504
DU	0	0	0					0	0	0	0	0
XU	0	0	0	0				0	0	0	0	0
Pallet Layer	336	112	28	0	0			1200	800	201	17780	14112
Without wood pallet	1344	448	112	0	0	4		1200	800	804	71120	56448
With wood pallet	1344	448	112	112	0	4		1200	800	944	71142	56448



Tier 2 Headlamp HDL40

New

Specifications

Logistics

SAP	E303836100
MODEL NUMBER	Y24A32
EAN	7638900444308
BATTERIES	3 AAA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU												
SU	0											0
DU	0		0									0
XU	0		0	0								0
Pallet Layer	0		0	0	0					0	0	0
Without wood pallet	0		0	0	0	0		0	0	0	0	0
With wood pallet	0	0	0	0	0	0		0	0	144	22	0



Tier 2 High CRI Headlamp HDL50 New

Specifications Logistics

SAP	E303836300
MODEL NUMBER	Y25A32
EAN	7638900444315
BATTERIES	3 AAA (Included)

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU												
SU	0											0
DU	0		0									0
XU	0		0	0								0
Pallet Layer	0		0	0	0					0	0	0
Without wood pallet	0		0	0	0	0		0	0	0	0	0
With wood pallet	0	0	0	0	0	0		0	0	144	22	0



Tier 2 Hybrid Headlamp HDL60

New

Specifications

Logistics

SAP	E303672200
MODEL NUMBER	Y26A32
EAN	7638900439144
CU/SU	4
CU DIMENSIONS (mm) (H,W,D)	191 x 146 x 48
BATTERIES	3 x E92 (packed outside light) + 3AAA LI-Ion Battery pack

Palletisation

	Battery	CU	SU	DU	XU	Pallet Layer	Pallet	mm	mm	mm	Gross g	Net g
Battery												
CU								48	146	191	174	174
SU	0	4									909	696
DU	0		0									0
XU	0		0	0								0
Pallet Layer	0	84	21	0	0			800	1200	0	19089	14616
Without wood pallet	0	336	84	0	0	4		800	1200	0	76356	58464
With wood pallet	0	336	84	84	0	4		800	1200	1344	76378	58464

Everyday



PRODUCT NAME	Touch Tech Keychain	Booklight	Pocket Light	OPP LED 2AA	2AA Handheld Light with Magnet	Vision HD Metal 3AAA	Vision Headlight	Tactical Rechargeable 1200	OPP LED 2D
SAP	E301371504	E300477605	E300695704	E300668803	E301309603	E300691004	E300280307	E302712901	E300667703
MODEL NUMBER	TKC2C	BKFN2B4	PL22	LC1L2A1	GPHM21	PMHH321	HDA323	PMHT28	LC1L2D1
EAN	7638900424225	7638900383911	7638900326314	7638900386677	7638900422955	7638900419580	7638900270228	7638900433807	7638900386660
ITF	17638900424222	17638900383918	17638900326311	17638900386674	17638900422952	17638900419587	17638900270225	17638900433804	17638900386667
CU/SU	12	12	6	12	6	6	6	4	9
CU DIMENSIONS(cm)	165 x 108 x 14	240 x 121 x 30	165 x 108 x 236	205 x 90 x 45	240 x 108 x 50	190 x 108 x 40	191 x 146 x 39	317 x 135 x 48	240 x 100 x 60
SU DIMENSIONS(cm)	181 x 175 x 244	260 x 276 x 228	175 x 120 x 200	168 x 245 x 232	250 x 120 x 332	203 x 120 x 287	203 x 162 x 283	330 x 250 x 148	200 x 200 x 285
CU WEIGHT (g)	0.055 g	35 g	45 g	40 g	92 g	84 g	85 g	52 g	97 g
SU DETAILS	tray + clip strip	2 Trays + Clip Strip	tray	outer box only	tray	tray	tray + clip strip	tray	outer box only
BATTERIES	x2 Energizer CR2032 (Included)	x2 Energizer CR2032 (Included)	x2 Energizer Max AAA (Included)	x2 Energizer Alkaline AA (Not Included)	x2 Energizer MAX® AA (Included)	x3 Energizer Max AAA (Included)	x3 Energizer Max AAA (Included)	x2 Rech, 18650 Lithium-Ion -4900mAh (Included)	x2 Energizer Alkaline D (Not Included)

Everyday

Emergency



PRODUCT NAME	Metal 3AAA	COB HL - Multi Purpose	Value Metal Rechargeable Light	Bike Light	Waterproof handheld	X Focus 2AA	ENR 2D Metal	Vision HD Metal Ultra	Energizer® Vision HD Rechargeable Metal
SAP	E301304006	E302713201	E303252701	E303659501	E300636304	E300669305	E303272702	E300690602	E301528004
MODEL NUMBER	MLHV32	HDGRLP	VMHAL8	BLPB42	ESFH211	XFH211	LCM2D5	PMZH611	PMHRL71
EAN	7638900388428	7638900433852	7638900433838	7638900439182	7638900418811	7638900015096	7638900368215	7638900419597	7638900426410
ITF	17638900422600	17638900433859	17638900433835	28888021304637	17638900418818	17638900345008	17638900435921	17638900419594	17638900426417
CU/SU	12	4	4	4	12	12	4	4	4
CU DIMENSIONS(cm)	165 x 108 x 29	191 x 146 x 50	228 x 108 x 34	24 x 18.4 x 6	240 x 108 x 63	240 x 121 x 28	317 x 135 x 60	317 x 134 x 79	317 x 135 x 50
SU DIMENSIONS(cm)	178 x 229 x 254	201 x 236 x 169	228 x 175 x 128	270 x 394 x 364	252 x 240 x 380	249 x 178 x 182	325 x 272 x 157	330 x 158 x 376	330 x 148 x 250
CU WEIGHT (g)	59 g	90 g	0.16 g			73 g		496 g	465 g
SU DETAILS	tray	tray	tray		tray	outer box only	Trap Single Blister	tray	tray
BATTERIES	x3 Energizer MAX® AAA (Not Included)	Rech, 602535 Lithium-Ion - 500mAh (Included)	Rech, 18650 Lithium-Ion - 1500mA (Included)	x4 Energizer Alkaline AAA (Included)	x2 Energizer Max AA (Included)	x2 Energizer Max AA (Included)	EVR, ROV Alkaline	x6 Energizer Max AA (Included)	Rech, 22650 Lithium-Ion - 5000 mah (Included)

Emergency

Outdoor & Sport



PRODUCT NAME	Tactical Light 700	Tactical Ultra 1000	Hybrid Tactical Powered Handheld Light	Emergency Metal Light - Beacon Light	Wearable light	ENR2AA Metal	LED Lantern	Vision HD Metal 2AA	USB Lantern
SAP	E301528102	E301699201	E303633301	E303633401	E301422003	E303272601	E300668704	E300600005	E301440804
MODEL NUMBER	PMHT2L	PMHT61	YMHT61	ESMH32	FW2C	LCM2A5	GPN451	PMZH21	ALU451
EAN	7638900426472	7638900430288	7638900439175	7638900439199	7638900426434	7638900340419	7638900398212	7638900313130	7638900426458
ITF	17638900426479	17638900430285	17638900439172	17638900439196	17638900426431	17638900435914	17638900398219	17638900313137	17638900426455
CU/SU	4	4	4	4	12	6	4	4	2
CU DIMENSIONS(cm)	240 x 108 x 52	317 x 135 x 48	32.5 x 21 x 4.8	26 x 13.5 x 3.6	165 x 108 x 22	240 x 108 x 25	176 x 125 x 130	240 x 121 x 47.9	305 x 203 x 113
SU DIMENSIONS(cm)	250 x 120 x 230	330 x 250 x 148	334 x 228 x 220	269 x 181 x 145	183 x 235 x 178	248 x 206 x 130	138 x 220 x 380	254 x 133 x 174	315 x 232 x 188
CU WEIGHT (g)	0.176 g	540 g			0.04 g		250 g	190 g	
SU DETAILS	tray	tray			tray + clip strip	tray	tray	tray	outer box only
BATTERIES	2x Energizer CR123 (Included)	x6 Energizer Max AA (Included)	6AA, Rech Lithium-Ion	3AAA	x2 Energizer CR2032 (Included)	2AA	2/4D	x2 Energizer Max AA (Included)	x4 Energizer Alkaline D (Not Included)

Outdoor & Sport



PRODUCT NAME	Vision HD Headlight	Vision HD+ Focus Headlight	Vision Ultra Headlight	Collapsible Hybrid Lantern	Hybrid Powered Lantern	Tier 1 Headlamp HDL10	Tier 1 Headlamp HDL20	Tier 1 Headlamp HDL30	Tier 2 Headlamp HDL40
SAP	E300280506	E300280705	E301371803	E303834400	E303638501	E303834800	E303835700	E303835900	E303836100
MODEL NUMBER	HDB323	HDD323	HDE321	ALCHL8	ALUH28	T11A32	T12A32	T13A32	Y24A32
EAN	7638900316377	7638900412802	7638900424478	7638900444261	7638900439168	7638900444278	7638900444285	7638900444292	7638900444308
ITF	17638900316374	17638900412809	17638900424475	17638900444268	17638900439165	17638900444275	17638900444275	17638900444275	17638900444305
CU/SU	6	6	6	4	2	4	4	4	
CU DIMENSIONS(cm)	190 x 146 x 39	190 x 146 x 39	190 x 146 x 39	186 x 371 x 98	30.5 x 20 x 7.3	190 x 146 x 405	190 x 146 x 405	190 x 146 x 405	x x
SU DIMENSIONS(cm)	203 x 161 x 282	203 x 161 x 282	203 x 162 x 283	x x	315 x 188 x 232	201 x 197 x 160	201 x 197 x 160	201 x 197 x 160	x x
CU WEIGHT (g)	87 g	88 g	120 g				126 g	126 g	
SU DETAILS	tray + clip strip	tray + clip strip	tray + clip strip	No Tray					
BATTERIES	x3 Energizer Max AAA (Included)	x3 Energizer Max AAA (Included)	x3 Energizer Max AAA (Included)	1 x 18650 Li-Ion		3 AAA (Included)	3 AAA (Included)	3 AAA (Included)	3 AAA (Included)

Outdoor & Sport

WORK



PRODUCT NAME	Tier 2 High CRI Headlamp HDL50	Tier 2 Hybrid Headlamp HDL60	Vision HD+ Headlight	Rechargeable Headlight	Rechargeable Industrial HL	impact Light 2AAA	Rubber Handheld 2AA	Metal Pen Light	Hard Case Pivot 2AA
SAP	E303836300	E303672200	E300280605	E301528202	E303197201	E300668404	E303293402	E301002404	E301340803
MODEL NUMBER	Y25A32	Y26A32	HDC323	HDFRLP	HDFRLPI	RBR223	RBR213	PLM22	HCSW21
EAN	7638900444315	7638900439144	7638900316384	7638900426441	7638900434347	7638900326307	7638900326291	7638900420821	7638900423792
ITF	17638900444312	17638900439141	17638900316381	17638900426448	17638900434344	17638900326304	17638900436225	17638900420828	17638900423799
CU/SU		4	6	4	4	12	3	8	4
CU DIMENSIONS(cm)	x x	191 x 146 x 48	190 x 146 x 39	190 x 146 x 53	130 x 60 x 48	240 x 121 x 55	260 x 135 x 79	190 x 108 x 18	240 x 121 x 65
SU DIMENSIONS(cm)	x x	x x	203 x 161 x 282	203 x 160 x 230	113 x 128 x 105	252 x 266 x 325	268 x 255 x 146	202 x 120 x 230	252 x 137 x 254
CU WEIGHT (g)			88 g	80 g	120 g			50 g	186 g
SU DETAILS			tray + clip strip	tray	Unit box	tray	tray	tray + clip strip	tray
BATTERIES	3 AAA (Included)	3 x E92 (packed outside light) + 3AAA LI-Ion Battery pack	x3 Energizer Max AAA (Included)	Rech, 103040 Lithium-Ion - 1200mAh (Included)	Rech, 103040 Lithium-Ion - 1200mAh (Included)	x2 Energizer Max AAA (Included)	x2 Energizer Max AA (Included)	x2 Energizer Max AAA (Included)	x2 Energizer Max AA (Included)

WORK

Everyday , Ecommerce



PRODUCT NAME	Hardcase Headlight with Attachment	Hard Case Multi-use	Hard Case Pro Work Light	Hard Case Project Plus 4AA	Atex Headlight	Hybrid High Performance Powered Headlamp	Panel Light	Metal Rechargeable Light	ENR EU METAL 3AAA 50 HH 12D MLHH32
SAP	E300642305	E301340903	E300668204	E300640503	E301380803	E303633201	E301699401	E303654200	E303289400
MODEL NUMBER	HCHD312	HCMU11	HCAL412	HCHH41	ISHD32	HDHRL8	AWLL8	VMHAL8	MLHH32
EAN	7638900375718	7638900423808	7638900398250	7638900287448	7638900424508	7638900439151	7638900430301	7638900436914	7638900436174
ITF	17638900375715	17638900423805	17638900398257	17638900300601	17638900424505	17638900439158	17638900430308	17638900436911	17638900436171
CU/SU	6	4	4	4	4	4	2	4	12
CU DIMENSIONS(cm)	190 x 146 x 104.7	165 x 108 x 44	368 x 152 x 69	279 x 146 x 76	135 x 75 x 57	19.1 x 14.6 x 6.5	200 x 205 x 55	220 x 108 x 34	93 x 31 x 31
SU DIMENSIONS(cm)	202 x 320 x 349	175 x 115 x 190	380 x 165 x 330	292 x 158 x 304	120 x 172 x 138	200 x 280 x 152	209 x 214 x 120	228 x 175 x 128	110 x 189 x 143
CU WEIGHT (g)	230 g	73 g	270 g	214 g	145 g		530 g	0.16 g	0.15 g
SU DETAILS	tray	tray	tray	tray	Unit box			tray	tray
BATTERIES	x3 Energizer Max AA (Included)	x1 Energizer Max AA (Included)	x4 Energizer Max AA (Included)	x4 Energizer Max AA (Included)	x3 Energizer Max Alkaline (Not Included)		x2 Rech, 18650 Lithium-Ion -4900mAh (Included)	Rech, 18650 Lithium-Ion - 1500mA (Included)	3AAA